

# Scanner - Honeywell MS5145



Vendor: Honeywell  
Model: MS5145

Seite 1/2

Rev. A (26.11.2013)  
Identifizier: Standard

1.		Enter/Exit Configuration Mode
2.		Recall Defaults
3.		Enable MOD 10 Check on ITF
4.		Transmit mod 10 Check Digit on ITF
5.		Enable USB Keyboard Emulation Mode
6.		Enable STX Prefix
7.		Clear All User Configurable Suffixes
8.		Configurable Prefix Character #1
9.		Code Byte 0
10.		Code Byte 5
11.		Code Byte 2
12.		Configurable UPC-A ID
13.		Code Byte 0
14.		Code Byte 6
15.		Code Byte 7
16.		Configurable UPC-E ID
17.		Code Byte 0

18.		Code Byte 6
19.		Code Byte 8
20.		Configurable EAN-8 ID
21.		Code Byte 0
22.		Code Byte 6
23.		Code Byte 5
24.		Configurable EAN-13 ID
25.		Code Byte 0
26.		Code Byte 6
27.		Code Byte 6
28.		Configurable Interleaved 2 of 5 ID
29.		Code Byte 0
30.		Code Byte 7
31.		Code Byte 8
32.		Configurable Code 128 ID
33.		Code Byte 0
34.		Code Byte 8





Vendor: Honeywell  
Model: MS5145

Seite 2/2

Rev. A (26.11.2013)  
Identifier: Standard

35.		Code Byte 4	52.		
36.		AT Keyboard	53.		
37.		Germany Keyboard (scan different country if needed)	54.		
38.		Enter/Exit Configuration Mode	55.		
39.			56.		
40.			57.		
41.			58.		
42.			59.		
43.			60.		
44.			61.		
45.			62.		
46.			63.		
47.			64.		
48.			65.		
49.			66.		
50.			67.		
51.			68.		

Revision #7

Created 21 February 2024 10:21:01

Updated 2 April 2024 10:55:16 by Ralph Niederer